

PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant: M. Cohen, *et al.*

Serial No.: 09/418,887

Filed: October 15, 1999

For: REAGENTS AND METHODS USEFUL  
FOR DETECTING DISEASES OF THE  
PROSTATE

Examiner: N. Davis

Group Art Unit: 1642

Attorney Docket No.: 5967.US.D1

Date: February 25, 2002

Certificate of Mailing under 37 CFR

§1.8(a):

I hereby certify that this paper (along with any paper referred to as being attached or enclosed) is being deposited with the United States Postal Service with sufficient postage as First Class Mail addressed to:

Assistant Commissioner for Patents  
Box RCE  
Washington, D.C. 20231

Date of Deposit: June 7, 2002

*Wanda C. Smith* *6/7/02*  
Wanda E. Smith Date

RECEIVED

JUN 21 2002

TECH CENTER 1600/2900

REQUEST FOR EXTENSION OF TIME (37 CFR 1.136(a))

Box RCE  
The Commissioner of Patents and Trademarks  
Washington, D.C. 20231

Dear Sir:

Applicant hereby petitions the Commissioner of Patents and Trademarks for an extension of time for a total period of three months for filing the Request for Continued Examination (RCE) under 37 CFR 1.116 from March 8, 2002 to June 8, 2002. Please charge Deposit Account 01-0025 in the amount of \$920.00 to cover the cost of the extension.

The Commissioner is hereby authorized to charge any additional filing fees required under 37 CFR 1.116 or 37 CFR 1.117 concerning this transaction, or to credit any overpayment to Deposit Account No. 01-0025. **A duplicate copy of this sheet is enclosed.**



23492

ABBOTT LABORATORIES  
Telephone: (847) 935-7550  
Facsimile: (847) 938-2623

Respectfully submitted,  
M. Cohen, *et al.*


Mimi C. Goller  
Registration No. 39,046  
Attorney for Applicants

COPY OF PAPERS  
ORIGINALLY FILED  
7-16-02

BEST AVAILABLE COPY

Wood, Phillips, Katz, et al.  
500 West Madison Street  
Suite 3800  
Chicago, IL 60662-2511  
Phone: (312) 876-2109  
Fax: (312) 876-2020

Respectfully submitted,  
M. Cohen, et al.



Lisa V. Mueller  
Registration No. 38,978  
Attorney for Applicants

**BEST AVAILABLE COPY**